

NAOEVO

PREMIUM AUTOMOTIVE LIGHTING LEADER


CATALOGUE 2025-2026



20-Year Brand In Automotive Lighting



R&D



Circuit Design




QC



NAOEVO Team




SMT



Automatic soldering



Integrating Sphere



High Temperature Oven

About Us

NAOEVO was founded in 2006 with the goal of bringing consumers high-quality automotive lighting products as the premium automotive lighting leader in the industry.

For 20 years, NAO has developed, manufactured and sold millions of LED headlight bulbs to thousands of domestic and foreign companies worldwide. Now, we have 50 distributors around the world, we want to expand more cooperation with other distributors in the rest of the world.

If you're interested in becoming a distributor of NAOEVO, reach out to us today and let us help you to succeed.



Production Workshop



SMT Workshop

Product Certificate



E-MARK

DOT

ISO 9001

CE

RoHS

Distributor Benefits

Sales Territories

NAOEVO takes good care of any of our distributor because we don't want many distributors in one area to compete against each other that leads to lower profit. We want all of our distributors to gain reasonable profit to offer quality service to our customers.



Unique Products

NAOEVO has the best engineering team in Automotive lighting. We develop new patent unique products every 6 months, and that means you will always be leading in your market.



Marketing Support

We have rich marketing experience in improving our partners' sales. In the past 20 years, we helped hundreds of companies succeed in the industry. We will support you step by step to grow the business together. We will offer you quality product pictures, videos, brochures, posters, LED testers and product display shelves, which will make our products stand out among others.



Quality Service:

We have enough stock for NAOEVO products, and that means NAOEVO always delivers fast. And you will never be out of stock. We have promotional sales to take care of our distributors, and if you have any questions, we will answer in time.

About NAOEVO

Focus On Automotive Lighting For 20 Years

Sell Well In 50 Countries In The World



ENTERPRISE CHRONICLE



2006

Company Establishment

Founded on March 30, 2006, the company initially specialized in headlight amplifiers before shifting focus to HID bulb production from 2007 through 2014.



2012

R&D and production of LED Car Lights

In 2012, driven by a pioneering spirit, NAOEVO took the lead in the industry by being the first to invest in R&D and production of LED headlight bulbs.



2019

China-Turkey Joint Operations Established

In 2019, NAOEVO set up its domestic branch and a joint factory in Turkey. By working together across borders, we combined global resources, improved our services, and built a strong business network.

2008

Ministry of Foreign Trade was established

In 2008, NAOEVO launched its foreign trade department, precisely grasping the opportunities of international trade, and the products are sold well overseas.



2016

Global Brand Strategy

In 2016, NAOEVO global brand strategy was officially launched to build a globalized service network covering 64 countries and regions, starting with brand value output.



2025

Global Distributor Expansion Program

Until 2025, NAOEVO has 50+ exclusive distributors. We're seeking partners worldwide to join our distributor network. We offer strong market protection, competitive pricing, and full marketing support to help our distributor succeed.



CONTENTS

BRAND LED HEADLIGHT 01-18

OEM/ODM LED HEADLIGHT 19-40

LED SIGNAL LIGHTS 41-46

LED WORK LIGHTS 47-48

NAOEVO®
PREMIUM AUTOMOTIVE LIGHTING LEADER



SAGA
SERIES
200W





SAGA
SERIES
200W



Feature



Crown and lion design

Inspired by Crown and lion
Exclusive aesthetics look



Large Size Chip

55MIL*12 Larger Size Flip
Chip



Bigger Dual Copper Heat Pipe

4mm*56mm Dual Copper
Heat Pipe, high 40W Heat
transfer




12000RPM Fan

Durable quality with high-speed
silent hydraulic fan



Thermistor Design

Intelligent temperature
control technology, protect
LED bulb, Less than 1%
defective rate



The Latest Linear Technology

100W CANBUS Driver, High brightness,
High luminous efficacy with the powerful
decoding ability Built-in Canbus Driver
99.99% Radio Interference Free Ultra-bright
And Focused


Specification

Power	200W/Set	Lumen	24000LM/Set	Bulb Model	H1, H3, H7, H8/9/11, H10, H16, 9005, 9006, 9012, 5202, 880/881, H4-H/L, H13-H/L, 9004-H/L, 9007-H/L, D2, D4.
Voltage	9-16V	Current	7.41A		
Color	6500K	Cooling	Multi-directional		
Chip	55MIL*12	Fan	Hydraulic fan		
Warranty	2 Years	Lifespan	50000HRS		

NAOEVO®
PREMIUM AUTOMOTIVE LIGHTING LEADER



MR EAGLE
NG
SERIES
180W





MR EAGLE
NG
SERIES
180W



Feature



Eagle Inspiration

Inspired by soaring eagle
Exclusive aesthetics look




Large Size Chip

12 pcs big size higher
illumination 55mil chip



10000RPM Fan

Durable quality with high
-speed silent hydraulic fan



Bigger Copper Heat Pipe

4mm*51mm Copper Heat
Pipe, 30W Heat transfer



Thermistor

Protect the LED bulb,
Less than 1% warranty




90W CANBUS Driver

Built-in Canbus Driver 99.99%
Canbus Error Free No hyperflash
Radio interference Free

Specification


Power	180W/Set	Lumen	21600LM/Set	Bulb Model	H1, H3, H7, H8/9/11, H10, H16, 9005, 9006, 9012, 5202, 880/881, H4-H/L, H13-H/L, 9004-H/L, 9007-H/L, D2, D4.
Voltage	9-16V	Current	6.6A		
Color	6500K	Cooling	Multi-directional		
Chip	12*55mil	Fan	Hydraulic fan		
Warranty	2 Years	Lifespan	50000HRS		

NAOEVO®
PREMIUM AUTOMOTIVE LIGHTING LEADER



MASTER
SERIES
180W






MASTER
SERIES
180W




Feature



Robot Inspiration

Inspired by Robot
Exclusive aesthetics look




Large Size Chip

12 pcs big size higher
illumination 55mil chip



10000RPM Fan

Durable quality with high
-speed silent Hydraulic fan



Bigger Copper Heat Pipe

4mm*51mm Copper Heat
Pipe, 30W Heat transfer



Thermistor

Protect the LED bulb,
Less than 1% warranty



90W CANBUS Driver

Built-in Canbus Driver 99.99%
Canbus Error Free No hyperflash
Radio interference Free

Specification


Power	180W/Set	Lumen	21600LM/Set	Bulb Model	H1, H3, H7, H8/9/11, H10, H16, 9005, 9006, 9012, 5202, 880/881, H4-H/L, H13-H/L, 9004-H/L, 9007-H/L, D2, D4.
Voltage	9-16V	Current	6.6A		
Color	6500K	Cooling	Multi-directional		
Chip	12*55mil	Fan	Hydraulic fan		
Warranty	2 Years	Lifespan	50000HRS		

NAOEVO®
PREMIUM AUTOMOTIVE LIGHTING LEADER



MAX5
SERIES
150W





MAX5
SERIES
150W




Feature



Eagle Beak Inspiration

Inspired by Eagle Beak
Exclusive aesthetics look




Large Size Chip

55mil*12 larger size
flip chip



10000RPM Fan

Durable quality with high
-speed silent Hydraulic fan




Bigger Copper Heat Pipe

4mm*51mm Copper Heat
Pipe, 30W Heat transfer



Thermistor

Protect the LED bulb,
Less than 1% warranty



75W CANBUS Driver

Built-in Canbus Driver 99.99%
Canbus Error Free No hyperflash
Radio interference Free

Specification

Power	150W/Set	Lumen	18000LM/Set	Bulb Model	H1, H4-H/L, H7, H11, 9005, 9006, 9012, D2, D4
Voltage	13.5V	Current	5.6A		
Color	6500K	Cooling	Multi-directional		
Chip	12*55mil	Fan	Hydraulic fan		
Warranty	2 Years	Lifespan	50000HRS		

NAOEVO®
PREMIUM AUTOMOTIVE LIGHTING LEADER



140W





NOBLE SERIES

140W



Feature



Lion Inspiration

Inspired by majestic lion
Exclusive aesthetics look



Large Size Chip

6 pcs big size higher
illumination 60*75mil chip



10000RPM Fan

Durable quality with high-speed silent hydraulic fan



Bigger Copper Heat Pipe

4mm*51mm Copper Heat Pipe, 30W Heat transfer



Thermistor

Protect the LED bulb,
Less than 1% warranty



CANBUS Driver

Built-in Canbus Driver 99.99%
Canbus Error Free No hyperflash
Radio interference Free

Specification

Power	140W/Set	Lumen	16800LM/Set	
Voltage	9-16V	Current	5.18A	
Color	6500K	Cooling	Multi-directional	Bulb Model
Chip	60*75mil*6	Fan	Hydraulic fan	H1, H4-H/L, H7, H8/9/11, 9005, 9006, 9012.
Warranty	2 Years	Lifespan	50000HRS	

NAOEVO®
PREMIUM AUTOMOTIVE LIGHTING LEADER


GT6

110W

12V / 24V

XGT6

120W






LED LIGHTING GT6

Higher illumination

400%
More Light

50000
Hrs Lifespan

60%
Energy



GT6 Specification

Power	110W/Set	Lumen	13200LM/Set	Bulb Model	H1, H3, H7, H8/9/11, H10, H16, 9005, 9006, 9012, 5202, 880/881, H4-H/L, H13-H/L, 9004-H/L, 9007-H/L, D2, D4.
Voltage	12V Car/ 24V truck	Current	4.1A		
Color	6500K	Cooling	Multi-directional		
Chip	55mil*6	Fan	Hydraulic fan		
Warranty	2 Years	Lifespan	50000HRS		

XGT6 Specification

Power	120W/Set	Lumen	14400LM/Set	Bulb Model	H1, H3, H7, H8/9/11, H10, H16, 9005, 9006, 9012, 5202, 880/881, H4-H/L, H13-H/L, 9004-H/L, 9007-H/L, D2, D4.
Voltage	9-16V	Current	4.4A		
Color	6500K	Cooling	Multi-directional		
Chip	55mil*8	Fan	Hydraulic fan		
Warranty	2 Years	Lifespan	50000HRS		



Feature




Lion Inspiration

Inspired by majestic lion exclusive aesthetics look



4 Mode Design

White/Yellow/Warm/Flashing
All weather Fit: Sunny/Rain
Fog/Snow



Larger Size Chip

6pcs big size higher
illumination 60*75mil chip



Copper PCB& Copper Heat Pipe

4mm*51mm copper heat pipe and 1.5mm
copper pcb, can achieve 20W heat transfer
and make standard beam pattern.



9000RPM Fan

Durable quality with high
speed silent hydraulic fan



CANBUS Driver

Built-in Canbus Driver 99.99%
Canbus Error Free, No hyperflash
Radio interference Free

Specification

Power	100W/Set	Lumen	12000LM/Set	Bulb Model	H1, H3, H7, H8/9/11, H10, H16, 9005, 9006, 9012, 5202, 880/881, H4-H/L, H13-H/L, 9004-H/L, 9007-H/L, D2, D4.
Voltage	9-16V	Current	3.7A		
Color	White/Yellow/Warm/Flashing	Cooling	Multi-directional		
Chip	Dual Color	Fan	Hydraulic fan		
Warranty	2 Years	Lifespan	50000HRS		



ECO45

Specification

Power	90W/Set	Lumen	10800LM/Set
Voltage	9-16V	Current	3.33A
Color	6500K	Cooling	Multi-directional
Chip	55mil*6	Fan	Hydraulic fan
Warranty	2 Years	Lifespan	50000HRS
Bulb Model	H1, H3, H7, H8/9/11, H10, H16, 9005, 9006, 9012, 5202, 880/881, H4-H/L, H13-H/L, 9004-H/L, 9007-H/L, D2, D4.		



ECO55

Specification

Power	110W/Set	Lumen	13200LM/Set
Voltage	9-16V	Current	4.1A
Color	6500K	Cooling	Multi-directional
Chip	55mil*8	Fan	Hydraulic fan
Warranty	2 Years	Lifespan	50000HRS
Bulb Model	H1, H3, H7, H8/9/11, H10, H16, 9005, 9006, 9012, 5202, 880/881, H4-H/L, H13-H/L, 9004-H/L, 9007-H/L, D2, D4.		



CORE PRO
110W

CORE
90W

CORE Specification

Power	90W/Set	Lumen	10800LM/Set	Bulb Model	H4-H/L, H7, H8/9/11, 9005, 9006, 9012.
Voltage	9-16V	Current	3.33A		
Color	6500K	Cooling	Multi-directional		
Chip	45mil*8	Fan	Hydraulic fan		
Warranty	2 Years	Lifespan	50000HRS		

CORE PRO Specification

Power	110W/Set	Lumen	13200LM/Set	Bulb Model	H4-H/L, H7, H8/9/11, 9005, 9006, 9012.
Voltage	9-16V	Current	4.1A		
Color	6500K	Cooling	Multi-directional		
Chip	55mil*6	Fan	Hydraulic fan		
Warranty	2 Years	Lifespan	50000HRS		



D1 PRO

Original Plug Connector, Direct Replace For D1S/D1R

Specification

Lumen	9000LM	Voltage	9-16V
Color	6500K	Fan	Hydraulic fan
Warranty	2 Years 1 Year	(NAOEVO package) (Other package)	
Lifespan	50000HRS		



D3 PRO

Original Plug Connector, Direct Replace For D3S/D3R/D8S/D8R

Specification

Lumen	9000LM	Voltage	9-16V
Color	6500K	Fan	Hydraulic fan
Warranty	2 Years 1 Year	(NAOEVO package) (Other package)	
Lifespan	50000HRS		



D5 PRO

Original Plug Connector, Direct Replace For D5S

Specification

Lumen	9000LM	Voltage	9-16V
Color	6500K	Fan	Hydraulic fan
Warranty	2 Years 1 Year	(NAOEVO package) (Other package)	
Lifespan	50000HRS		



D2 PRO

Original Plug Connector, Direct Replace For D2S/D2R

Specification

Lumen	9000LM	Voltage	9-16V
Color	6500K	Fan	Hydraulic fan
Warranty	2 Years 1 Year	(NAOEVO package) (Other package)	
Lifespan	50000HRS		



D4 PRO

Original Plug Connector, Direct Replace For D4S/D4R

Specification

Lumen	9000LM	Voltage	9-16V
Color	6500K	Fan	Hydraulic fan
Warranty	2 Years 1 Year	(NAOEVO package) (Other package)	
Lifespan	50000HRS		

OEM/ODM LED HEADLIGHT



MR ELEPHANT
260W






Feature




Elephant Inspiration

Design for durability
Illuminate your path



Large Size Chip

6 pcs big size higher
illumination 60*75mil chip



12000RPM Fan

Durable quality with high
-speed silent hydraulic fan




Bigger Copper Heat Pipe

4mm*56mm Copper Heat
Pipe, 40W Heat transfer



Thermistor

Protect the LED bulb,
Less than 1% warranty




130W CANBUS Driver

Built-in Canbus Driver 99.99%
Canbus Error Free No hyperflash
Radio interference Free

Specification


Power	260W/Set	Lumen	31200LM/Set	Bulb Model	H1, H3, H7, H8/9/11, H10, H16, 9005, 9006, 9012, 5202, 880/881, H4-H/L, H13-H/L, 9004-H/L, 9007-H/L, D2, D4.
Voltage	9-16V	Current	9.6A		
Color	6500K	Cooling	Multi-directional		
Chip	60*75mil*6	Fan	Hydraulic fan		
Warranty	1 Year	Lifespan	50000HRS		




LOW BEAM PROJECTOR/3500LUX



HIGH BEAM PROJECTOR/3800LUX



LOW BEAM



HIGH BEAM

FIRE

260W




Feature



Flames Inspiration

Inspired by Warm and Powerful Flames Exclusive aesthetics look



Large Size Chip

15 pcs big size higher illumination 50mil chip



12000RPM Fan

Durable quality with high-speed silent hydraulic fan




Bigger Copper Heat Pipe

4mm*56mm Copper Heat Pipe, 40W Heat transfer



Thermistor

Protect the LED bulb, Less than 1% warranty



130W CANBUS Driver

Built-in Canbus Driver 99.99% Canbus Error Free No hyperflash Radio interference Free

Specification


Power	260W/Set	Lumen	31200LM/Set	Bulb Model	H1, H3, H7, H8/9/11, H10, H16, 9005, 9006, 9012, 5202, 880/881, H4-H/L, H13-H/L, 9004-H/L, 9007-H/L, D2, D4.
Voltage	9-16V	Current	9.6A		
Color	6500K	Cooling	Multi-directional		
Chip	50mil*15	Fan	Hydraulic fan		
Warranty	1 Year	Lifespan	50000HRS		


SUN
160W/220W


SUN PRO

Specification

Power	220W/Set	Lumen	26400LM/Set
Voltage	9-16V	Current	8.15A
Color	6500K	Cooling	Multi-directional
Chip	FLIP CHIP	Fan	Hydraulic fan
Warranty	1 Year	Lifespan	50000HRS
Bulb Model	H1, H3, H7, H8/9/11, H10, H16, 9005, 9006, 9012, 5202, 880/881, H4-H/L, H13-H/L, 9007-H/L, D2, D4.		



SUN

Specification

Power	160W/Set	Lumen	19200LM/Set
Voltage	9-16V	Current	5.9A
Color	6500K	Cooling	Multi-directional
Chip	FLIP CHIP	Fan	Hydraulic fan
Warranty	1 Year	Lifespan	50000HRS
Bulb Model	H1, H3, H7, H8/9/11, H10, H16, 9005, 9006, 9012, 5202, 880/881, H4-H/L, H13-H/L, 9007-H/L, D2, D4.		



NW
MR OWL
220W



Feature



Owl Inspiration

See better like an owl
Ensured safety and clarity



Large Size Chip

6 pcs big size higher
illumination 60*75mil chip



12000RPM Fan

Durable quality with high
-speed silent hydraulic fan




Bigger Copper Heat Pipe

4mm*56mm Copper Heat
Pipe, 40W Heat transfer



Thermistor

Protect the LED bulb,
Less than 1% warranty



110W CANBUS Driver

Built-in Canbus Driver 99.99%
Canbus Error Free No hyperflash
Radio interference Free

Specification

Power	220W/Set	Lumen	26400LM/Set	Bulb Model	H1, H3, H7, H8/9/11, H10, H16, 9005, 9006, 9012, 5202, 880/881, H4-H/L, H13-H/L, 9004-H/L, 9007-H/L, D2, D4.
Voltage	9-16V	Current	8.1A		
Color	6500K	Cooling	Multi-directional		
Chip	60*75mil*6	Fan	Hydraulic fan		
Warranty	1 Year	Lifespan	50000HRS		

PL100
200W



Feature




The Latest Linear Technology

Innovative LED linear decoding scheme, High brightness, High luminous efficacy with the powerful decoding ability



Large Size Chip

55MIL*12 Larger Size Flip Chip



Bigger Dual Copper Heat Pipe

4mm*56mm Dual Copper Heat Pipe, high 40W Heat transfer




12000RPM Fan

Durable quality with high-speed silent hydraulic fan



Thermistor Design

Intelligent temperature control technology, protect LED bulb, Less than 1% defective rate



100W CANBUS Driver

Built-in Canbus Driver 99.99% Radio Interference Free Ultra-bright And Focused

Specification

Power	200W/Set	Lumen	24000LM/Set	Bulb Model	H1, H3, H7, H8/9/11, H10, H16, 9005, 9006, 9012, 5202, 880/881, H4-H/L, H13-H/L, 9004-H/L, 9007-H/L, D2, D4.
Voltage	9-16V	Current	7.41A		
Color	6500K	Cooling	Multi-directional		
Chip	55MIL*12	Fan	Hydraulic fan		
Warranty	1 Year	Lifespan	50000HRS		



NL
MR BULL
180W




Feature




Bull Inspiration

Inspired by strong bull
Exclusive aesthetics look



Large Size Chip

12 pcs big size higher
illumination 55mil chip



10000RPM Fan

Durable quality with high
-speed silent hydraulic fan




Bigger Copper Heat Pipe

4mm*51mm Copper Heat
Pipe, 30W Heat transfer



Thermistor

Protect the LED bulb,
Less than 1% warranty



90W CANBUS Driver

Built-in Canbus Driver 99.99%
Canbus Error Free No hyperflash
Radio interference Free

Specification

Power	180W/Set	Lumen	21600LM/Set	Bulb Model	H1, H3, H7, H8/9/11, H10, H16, 9005, 9006, 9012, 5202, 880/881, H4-H/L, H13-H/L, 9004-H/L, 9007-H/L, D2, D4.
Voltage	9-16V	Current	6.6A		
Color	6500K	Cooling	Multi-directional		
Chip	55mil*12	Fan	Hydraulic fan		
Warranty	1 Year	Lifespan	50000HRS		

NC
MR SPIDER
140W




Feature



Spider Inspiration

Inspired by cool spider
Exclusive aesthetics look



Large Size Chip

6 pcs big size higher
illumination 55mil chip



8500RPM Fan

Durable quality with high
-speed silent hydraulic fan



Dual Copper Heat Pipe

Faster heat transfer with
dual copper heat pipe



Thermistor

Protect the LED bulb,
Less than 1% warranty




CANBUS Driver

Built-in Canbus Driver 99.99%
Canbus Error Free No hyperflash
Radio interference Free

Specification

Power	140W/Set	Lumen	16800LM/Set	Bulb Model	H1, H3, H7, H8/9/11, H10, H16, 9005, 9006, 9012, 5202, 880/881, H4-H/L, H13-H/L, 9004-H/L, 9007-H/L, D2, D4.
Voltage	9-16V	Current	5.18A		
Color	6500K	Cooling	Multi-directional		
Chip	55mil*6	Fan	Hydraulic fan		
Warranty	1 Year	Lifespan	50000HRS		




Feature




Rocket Inspiration

Inspired by roaring rocket
Exclusive aesthetics look



Large Size Chip

6 pcs big size higher
illumination 55mil chip



8500RPM Fan

Durable quality with high
-speed silent hydraulic fan



Copper Heat Pipe

20W Heat transfer



Thermistor

Protect the LED bulb,
Less than 1% warranty



CANBUS Driver

Built-in Canbus Driver 99.99%
Canbus Error Free No hyperflash
Radio interference Free

Specification

Power	110W/Set	Lumen	13200LM/Set	Bulb Model	H1, H3, H7, H8/9/11, H10, H16, 9005, 9006, 9012, 5202, 880/881, H4-H/L, H13-H/L, 9004-H/L, 9007-H/L, D2, D4.
Voltage	12V Car/24V truck	Current	4.1A		
Color	6500K	Cooling	Multi-directional		
Chip	55mil*6	Fan	Hydraulic fan		
Warranty	1 Year	Lifespan	50000HRS		

V04
1:1 HALOGEN DESIGN

70W



Feature



1:1 Halogen Design

Suitable for 99.99% cars



Large Size Chip

45MIL*8 Larger Size Flip Chip



8000RPM Fan

Durable quality with high-speed silent hydraulic fan



Easy Installation

Non-destructive installation, wireless installation does not hurt the car



Canbus Decoding

Innovative LED linear decoding scheme



Oblique Angle 20 Degrees

Oblique angle 20 degrees patent design, eccentric car models easy to install

Specification

Power	70W/Set	Lumen	7600LM/Set	Bulb Model	H1, H4-H/L, H7, H8/9/11, 9005, 9006, 9012.
Voltage	9-16V	Current	2.6A		
Color	6500K	Cooling	Multi-directional		
Chip	45mil*8	Fan	Hydraulic fan		
Warranty	1 Year	Lifespan	50000HRS		

V03
1:1 HALOGEN DESIGN

70W




Feature



1:1 Halogen Design

Suitable for 99.99% cars



Large Size Chip

45MIL*8 Larger Size Flip Chip



8000RPM Fan

Durable quality with high-speed silent hydraulic fan




Easy Installation

Non-destructive installation, wireless installation does not hurt the car



Canbus Decoding

Innovative LED linear decoding scheme



Oblique Angle 12 Degrees

Oblique angle 12 degrees patent design, eccentric car models easy to install

Specification

Power	70W/Set	Lumen	7500LM/Set	Bulb Model	H4-H/L, H7, H8/9/11, H13, 9005, 9006, 9012.
Voltage	9-16V	Current	2.6A		
Color	6500K	Cooling	Multi-directional		
Chip	45mil*8	Fan	Hydraulic fan		
Warranty	1 Year	Lifespan	50000HRS		


PL60
120W


Feature




Reindeer Inspiration

Inspired by Reindeer
Exclusive aesthetics look



Large Size Chip

55MIL*8 Larger Size Flip Chip



8500RPM Fan

Durable quality with high
-speed silent hydraulic fan



Bigger Copper Heat Pipe

20W Heat transfer



All in One Design

Multi-directional heat
dissipation system



Efficient Decoding

Innovative LED linear decoding
scheme, High brightness, High
luminous efficacy with the
powerful decoding ability

Specification

Power	120W/Set	Lumen	14400LM/Set	Bulb Model	H1, H3, H7, H8/9/11, H10, H16, 9005, 9006, 9012, 5202, 880/881, H4-H/L, H13-H/L, 9004-H/L, 9007-H/L, D2, D4.
Voltage	9-16V	Current	4.45A		
Color	6500K	Cooling	Multi-directional		
Chip	55mil*8	Fan	Hydraulic fan		
Warranty	1 Year	Lifespan	50000HRS		



PL45 Specification

Power	90W/Set	Lumen	10800LM/Set	Bulb Model	H4-H/L, H7, H8/9/11, 9005, 9006, 9012.
Voltage	9-16V	Current	3.33A		
Color	6500K	Cooling	Multi-directional		
Chip	45mil*8	Fan	Hydraulic fan		
Warranty	1 Year	Lifespan	50000HRS		

PL55 Specification

Power	110W/Set	Lumen	13200LM/Set	Bulb Model	H4-H/L, H7, H8/9/11, 9005, 9006, 9012.
Voltage	9-16V	Current	4.1A		
Color	6500K	Cooling	Multi-directional		
Chip	55mil*6	Fan	Hydraulic fan		
Warranty	1 Year	Lifespan	50000HRS		

X65

120W



Feature



Batman Inspiration

Inspired by Batman
Exclusive aesthetics look



Large Size Chip

55MIL*8 Larger Size Flip Chip




8500RPM Fan

Durable quality with high
-speed silent hydraulic fan



Bigger Copper Heat Pipe

30W Heat transfer



Efficient Decoding

Innovative LED linear decoding
scheme, High brightness, High
luminous efficacy with the
powerful decoding ability



CANBUS Driver

Built-in Canbus Driver 99.99%
Canbus Error Free No hyperflash
Radio interference Free

Specification

Power	120W/Set	Lumen	14400LM/Set	Bulb Model	H1, H3, H7, H8/9/11, H10, H16, 9005, 9006, 9012, 5202, 880/881, H4-H/L, H13-H/L, 9004-H/L, 9007-H/L, D2, D4.
Voltage	9-16V	Current	4.45A		
Color	6500K	Cooling	Multi-directional		
Chip	55mil*8	Fan	Hydraulic fan		
Warranty	1 Year	Lifespan	50000HRS		



X50
90W


Feature



Mini Size

Mini Size
fit for 99.9% cars




Large Size Chip

45MIL*8 Larger Size Flip
Chip



8500RPM Fan

Durable quality with high
-speed silent hydraulic fan



1.5mm Copper

1.5mm copper PCB makes
standard beam pattern



Efficient Decoding

Innovative LED linear
decoding scheme



All in One Design

Multi-directional heat
dissipation system


Specification

Power	90W/Set	Lumen	10000LM/Set	Bulb Model	H1, H3, H7, H8/9/11, H10, H16, 9005, 9006, 9012, 5202, 880/881, H4-H/L, H13-H/L, 9004-H/L, 9007-H/L, D2, D4.
Voltage	9-16V	Current	3.3A		
Color	6500K	Cooling	Multi-directional		
Chip	45mil*8	Fan	Hydraulic fan		
Warranty	1 Year	Lifespan	50000HRS		

X52
96W




Feature



Large Size Chip

8 pcs big size higher illumination 55mil chip




Copper Heat Pipe

20W Heat Transfer



8500RPM Fan

Durable quality with high-speed silent hydraulic fan



1.5mm copper

1.5mm copper PCB makes standard beam pattern



Thermistor

Protect the LED bulb, Less than 1% warranty



Standard Beam Pattern

High beam projector

Specification


Power	96W/Set	Lumen	9600LM/Set	Bulb Model	H7, H8/9/11, H4-H/L, H13-H/L 9005, 9006, 9012, 5202.
Voltage	9-16V	Current	3.6A		
Color	6500K	Cooling	Multi-directional		
Chip	55mil*8	Fan	Hydraulic fan		
Warranty	1 Year	Lifespan	50000HRS		

G2PRO

72W



Feature



Large Size Chip

3 pcs big size higher illumination 60mil chip



Non-polarity design

NO need to replug again




8500RPM Fan

Durable quality with high-speed silent hydraulic fan



1.0mm copper

1.0mm copper PCB makes standard beam pattern



Thermistor

Protect the LED bulb, Less than 1% warranty



Standard Beam Pattern

Cut-off Line Low Beam

Specification


Power	72W/Set	Lumen	8640LM/Set	Applicable Vehicle
Voltage	9-16V	Current	2.7A	
Color	6500K	Cooling	Multi-directional	VW Jetta Sportwagen, Volkswagen Golf, VW GTI, VW Passat, VW Tiguan
Chip	60mil*3	Fan	Hydraulic fan	
Warranty	1 Year	Lifespan	50000HRS	

D1 Plus

80W



Feature




Large Size Chip

3 pcs big size higher illumination 75mil chip



Copper Heat Pipe

10W Heat Transfer




8500RPM Fan

Durable quality with high-speed silent hydraulic fan



1.5mm copper

1.5mm copper PCB makes standard beam pattern



Thermistor

Protect the LED bulb, Less than 1% warranty



CANBUS PRO Design

Built-in Canbus Driver 99.99% Canbus Error Free No hyperflash Radio interference Free

Specification

Power	80W/Set	Lumen	8000LM/Set	Bulb Model	D1S, D1R, D3S, D3R
Voltage	9-16V	Current	2.96A		
Color	6500K	Cooling	Multi-directional		
Chip	75mil*3	Fan	Hydraulic fan		
Warranty	1 Year	Lifespan	50000HRS		



Feature




High Brightness

Flip COB Chip




3 Sides Patent Design

360° Emitting, Brighter Light



7500RPM Fan

7500RPM High Speed
Mute Fan, Fast Heat
Dissipation.



AC/DC Combined Design

9-80V Wide Voltage

Specification

Power	40W	Lumen	4000LM	Fan	Hydraulic fan
Voltage	DC/AC 9-80V	Current	2.8A	Lifespan	50000HRS
Color	6500K	Chip	Flip COB Chip	Warranty	1 Year

H15D

90W




Feature



Large Size Chip

12 pcs big size higher illumination 45mil chip



All In One Design

Integrated aluminum body
Firm & well thermal conductivity



8500RPM Fan

Durable quality with high-speed silent hydraulic fan



1.5mm copper

1.5mm copper PCB makes standard beam pattern



Thermistor

Protect the LED bulb,
Less than 1% warranty



CANBUS PRO Design

Built-in Canbus Driver 99.99%
Canbus Error Free No hyperflash
Radio interference Free

Specification

Power	90W/Set	Lumen	10800LM/Set	Applicable Vehicle
Voltage	9-16V	Current	3.33A	
Color	6500K	Cooling	Multi-directional	VW Jetta Sportwagen, Volkswagen Golf, VW GTI, VW Passat, VW Tiguan
Chip	45mil*12	Fan	Hydraulic fan	
Warranty	1 Year	Lifespan	50000HRS	


NAOEVO

LED Fitting Adapters




Only For Led Headlight Bulbs.

Technical Description



Original
Installation



Alignment
Accuracy



Vibration
Resistance



No Stick
or Drill

LED Fitting Adaptors



H1 (L01)

Compatible Vehicles

HONDA



H7 (L02)

Compatible Vehicles

KIA SORENTO/SPORTAGE



H7 (L03)

Compatible Vehicles

VW / TIGUAN 2016-



H7 (L04)

Compatible Vehicles

MERCEDES C-B SERIES



H7 (L05)

Compatible Vehicles

AUDI A3/BMW 5/QASHQAI



H7 (L07)

Compatible Vehicles

VW GOLF 6-7



H7 (L08)

Compatible Vehicles


LEXUS



H7 (L10)

Compatible Vehicles

MONDEO
PEUGEOT 2008-3008



H7 (L12)

Compatible Vehicles

FORD FOCUS HIGH BEAM



H7 (L13)

Compatible Vehicles

FORD FOCUS LOW BEAM



H7 (L14)

Compatible Vehicles

RENAULT MEGANE 4



H7 (L15)

Compatible Vehicles

FIAT NEW / FOCUS 2019



H7 (L09)

Compatible Vehicles

JETTA



H7 (L16)

Compatible Vehicles

HYUNDAI TUCSON 2018-



H7 (L17)

Compatible Vehicles

TOUAREG/OCTAVIA OLD/OPEL



H7 (L18)

Compatible Vehicles

AUDI A3 - A4L - A6L



NU35D

Specification


Power	5.5W	Chip	2835SM*21
Voltage	9-16V	Color	White/Amber/Red
Model	1156/1157/3157/T20/7440, T20/7443		



N39

Specification

Power	6W	Chip	2835SMD*39
Voltage	9-16V	Color	White/Amber/Red
Model	W5W/P21W/PY21W/P21 5W/T20/T25		



NR30

Specification

Power	5W	Chip	3030SMD*18
Voltage	9-16V	Color	White/Yellow/Orange
Model	1156/1157/3157/T20/7440,T20/7443		



C3020

Specification

Power	23W	Chip	3020SMD*26
Voltage	9-16V	Color	White/Amber/Red
Model	P21W/PY21W/7440/1157		

NE86

Specification

Power	3.4W	Chip	4xLED SMD
Voltage	9-16V	Color	White
Model	T15, W16W, 921		



NB30D

Specification

Power	3.4W	Chip	3030
Voltage	9-16V	Color	White/Amber
Model	T10,W5W,194,168		



N6

Specification

Power	2W	Chip	6LEDS
Voltage	9-16V	Model	T10,W5W,194,168
Color	White / Amber / Red / Warm White		



NL30-A

Specification


Power	5W	LED Count	6LEDS
Voltage	9-16V	Color	White/Amber/Red
Model	T10,W5W,194,168		



NL30-B

Specification

Power	6W	LED Count	10LEDS
Voltage	9-16V	Color	White/Amber/Red
Model	T10,W5W,194,168		



N5

Specification



Power	5W	Chip	5x3030 SMD
Voltage	9-16V	Color	White/Amber/Red
Model	T10,W5W,194,168		



T10-2835

Specification


Power	3.4W	Chip	2835
Voltage	9-16V	Color	White/Amber
Model	T10,W5W,194,168		



B9C5W

Specification


Power	28mm:1.3W; 31mm: 1.7W; 36mm/39mm/41mm: 2.2W; 44mm: 3W
Lumens	28mm: 250LM; 31mm: 300LM; 36mm/39mm/41mm: 350LM; 41mm: 450LM
Color	6000K White
Model	C5W-3W



CMSC5W

Specification

Power	4W	Chip	3030	Voltage	12V
Color	White, Warm White, Crystal Blue				
Model	31mm/36mm/39mm/41mm				



C5W-GY

Specification

Power	3W	LED Count	COB
Voltage	12V	Color	White
Model	31mm/39mm/41mm		



FOG LIGHT

Specification


Power	3.4W	Chip	3030
Voltage	9-16V	Color	White/Yellow
Model	H8/9/11,H10,9005,9006		



FOG LIGHT

Specification


Power	3.4W	Chip	2835
Voltage	9-16V	Color	White/Yellow
Model	H8/9/11,H10,9005,9006		



Lightbar SX03L-SP Series
S9-7INCH-W



Lightbar SX03L-SP Series
S9-13INCH-W



Lightbar SX03L-SP Series
S9-20INCH-W



Lightbar NX02-CB Series
7IN-120W-W



V30 6INCH reflector design



V30L 6INCH lens model



Lightbar NX02-CB Series
20IN-420W-W



NAOEVO®

Web : www.naoevo.com

Email : wholesale@naoevo.com

WhatsApp/WeChat/Tel : +86 17620182140

Add : No.1, HuaLong Road, DongHua Industry Park,
RenHe Town, BaiYun District, GuangZhou, China



@naoevolighting



@naoevolighting



E-Catalog



WhatsApp